Cleary's Co. 1905

TUESDAY, APRIL 25

TUESDAY, APRIL 25

CATALOGUE

OF

Sander's Orchid Sale

A very large and splendid selection of well-grown, healthy and vigorous Plants, arranged in lots to suit both the trade and large buyer,

FROM

SANDER'S NURSERIES

ENGLAND AND BELGIUM

WHICH WILL BE SOLD AT

CLEARY'S

Horticultural Auction Rooms

62 VESEY STREET, NEW YORK CITY

AT 12.30 P. M.

Tuesday, April 25, 1905

SHOUT
SHARE
IT

NOTICE

Colored illustrations of the varieties here offered will be on view day of sale.

This will be found an excellent opportunity to all lovers of this interesting genus to acquire a very varied, as well as a free-flowering collection of plants.

All are in first-class condition, true to name, and, if suspended in a conservatory, or near the roof of any warm greenhouse, they will grow and flower with freedom.

Every care will be taken with commissions sent to us and experienced men will attend to the packing and shipping.

TERMS OF SALE:

STRICTLY CASH

ILLUSTRATIONS OF MANY OF THE PLANTS OFFERED ON VIEW DAY OF SALE

The Richly Colored Burmese Type of

Dendrobium Wardianum Giganteum

Which is the Finest of All.

The plants here offered are in splendid order and the present season is the best to purchase. Place them immediately in pans, baskets or pots, they will commence to grow at once, and in the late autumn and at Christmas the pendulous bulbs will produce scores of blossoms on each, which measure individually 3 and 4 inches across. Sepals and petals wax-white, tipped with magenta. The large open lip has the same colors with an orange centre, blotched on each side with sanguineous crimson.

The brilliant colors are most effective, and the plants can be used for all kinds of decoration.

Lot		
1	One selected many-bulbed plant	imported
2	do	do
3	do	do
4	do	do
5	do	do
6	do	do
7	do	do
8	do	do
9	do	do
10	do	do
11	do	do
12	do	do
13	do	do
14	do	do
15	do	do

Lot		
16	One selected many-bulbed plant	imported
17	do	do
18	do	do
19	do	do
20	do	do
21	do	do
22	do	do
23	do	do
24	do	do
25	do	do
26	Four fine plants	imported
27	do	
28	do	
29	do	
30	do	
31	do	
32	do	
33	do	
34	do	
35	do	
36	do	
37	do	
38	do	
39	do	
40	do	
41	do	
42	do	
43	do	
44	do	
45	do	
46	do	
47	do	
48	do	
49	do	
50	do	
51	do	
52	do	
53	do	
54	do	

Lot	
55	Four fine plants imported
56	do
57	do
58	do
59	do
60	do
61	do
62	do
63	do
64	do
65	do
66	do
67	do
68	do
69	do
70	do
71	do
72	do
73	do
74	do
75	do
76	Six fine plants imported
77	do
78	do
79	do
80	do
81	do
82	do
83	do
84	do
85	do
86	do
87	do
88	do
89	do
90	do
91	do
92	do
93	do

Lot	
94	Six fine plants, imported
95	do
96	do
97	do
98	do
99	do
100	do
101	do
102	do
103	do
104	do
105	do
106	do
107	do
108	do
109	do
110	do
111	do
112	do
113	do
114	do
115	do
116	do
117	do
118	do
119	do
120	do
121	do
122	do
123	do
124	do
125	do

CYPRIPEDIUM SEEDLINGS

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, as the records of their parentages have been lost.

Lot		
126	One strong healthy plant	
127	do	do
128	do	do
129	do	do
130	do	do
131	do	do
132	do	do
133	do	do
134	do	do
135	do	do

Laelio-Cattleya Gottoiana

(L. Tenebrosa x C. Warneri)

A large flowered glorious variety. Sepals and petals light rose, lip rose purple; the whole bloom is a choice display of warm coloring.

Lot

136 Strong, healthy plant, 9 bulbs, 2 are leads

ONCIDIUM SPLENDIDUM

A splendid orchid. A real boon to the florist. Flowers in mid-winter. Blossoms large, showy, longer lasting; in every way attractive; borne on tall, sometimes branching, spikes. Sepals and petals barred with rich chocolate; lip broad and spreading, entirely of a rich golden yellow.

Lot

137 to 141 One selected plant

SPECIMENS OF

LAELIA PURPURATA

APTLY TERMED THE KING OF LAELIAS.

It is difficult to find a more superb exhibition plant. The very large blossoms appear 4 and 5 together on a stem during

spring, white and light rose, with a rich dark crimson lip and a golden yellow throat. It is one of the easiest and most satisfactory orchids to grow, either for exhibition or cutting purposes.

Lot
142 to 146 Grand, strong bulbed specimen, many leads

DENDROBIUM HYBRIDS

A superb collection of beautiful varieties; only the very finest parents have been utilized, and well-grown, healthy plants are offered.

DENDROBIUM ARTEMUS
(Splendidissimum Grandiflorum x Aureum Galton Park Var.)

Lot
147 Strong healthy plant, 4 bulbs

DENDROBIUM OWENIANUM
(Linawianum Var. Majus x Wardianum)

Lot
148 Strong healthy plant, 7 bulbs, 1 strong growth

DENDROBIUM LEECHIANUM ROSEUM
(Nobile x Aureum)

Lot
149 Strong healthy plant, 7 bulbs, 1 strong growth

DENDROBIUM GERMINYANUM
(Aureum Var. Philippinense x Nobile Var. Pendulum)

Lot
150 Strong healthy plant, 6 bulbs

DENDROBIUM CASSIOPE
(Moniliforme v Nobile Var. Albiflorum)

Lot
151 Strong healthy plants, 4 bulbs, 1 strong growth

PHALAENOPSIS LUDDEMANIANA

A very pretty species and lasting for a very long time in bloom. Sepals and petals white, beautifully striped with amethyst in the lower half, and with cinnamon brown in the upper half. The lip is a bright purple, but paler toward the margin.

Lot				
152	Fine healthy plant,	3	strong	growths
153	do	do	2	do
154	do	do	1	do

Phalaenopsis Rimestodiana

A strong grower, bearing splendid spikes of very large and beautiful flowers of great substance and purest whiteness, except for the yellow markings on the lip.

Lot			
155	Strong healthy plant,	1	growth
156	do	do	

DENDROBIUM FINDLAYANUM

The best type of this splendid winter-flowering species. Among the most handsome, useful, and floriferous of all Dendrobes. Flowers produced in great profusion, most handsome and effective for all kinds of decoration. Sepals and petals white, suffused with pink, darkest at the tips, lip deep orange yellow, paling to golden yellow.

It is one of the most profitable Orchids to grow for cutting purposes, and hence is specially suited to the florist.

Imported Plants

Lot		
157	One selected	many-bulbed plant
158	do	do
159	do	do
160	do	do

Lot

161 One selected many-bulbed plant
162 do do
163 do do
164 do do
165 do do
166 do do
167 do do
168 do do
169 do do
170 do do
171 do do
172 do do
173 do do
174 do do
175 do do
176 do do
177 do do
178 do do
179 do do
180 do do
181 do do
182 Two very fine plants
183 do
184 do
185 do
186 do
187 do
188 do
189 do
190 do
191 do

CYPRIPEDIUM SARGENTEANUM

Lot

192 Strong healthy plant, 6 growths

LAELIA PRAESTANS

This little Orchid is most gorgeous in the Orchid House toward the autumn, when there is but little else in flower. The

flowers are very long in proportion to the plant, up to 5 inches in diameter, and among them many choice varieties are to be found. The pure white form is among the rarest and most valuable of Orchids.

Lot	
193 to 201	One selected plant
202 to 207	Two fine plants

ODONTOGLOSSUM GRANDE

Its usefulness for cutting is well known; the enormous flowers are among the largest of the genus. Its compact habit and free-flowering qualities have made it an Orchid universally admired.

Lot	
208	One selected plant
209	do
210	do
211	do
212	do
213	do
214	do
215	do
216	do
217	do
Lot	
218 to 221	Two fine plants.

SELECTED HYBRID ORCHIDS

Cattleya, Laelia, and Laelio-Cattleya

HYBRIDS UNFLOWERED

Selected from the best varieties of the parent plants. All of flowering size and strength, well grown and in excellent health. Many beautiful hybrids have bloomed from those we sold last

season, and it gives us great pleasure to again offer a select collection.

Lælia Crispa x Cattleya Trianæ

Lot
222 Strong healthy plant, 9 bulbs, 2 are leads

Lælio-Cattleya Bletchleyensis x Lælia Flava

Lot
223 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Harrisoniæ x Lælia Tenebrosa

Lot
224 Strong healthy plant, 5 bulbs, 2 are leads

Lælia Purpurata x Cattleya Warneri

Lot
225 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Crispa x Cattleya Gaskelliana

Lot
226 Strong healthy plant, 8 bulbs, 2 are leads

Cattleya Harrisoniæ x Cattleya Schilleriana

Lot
227 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Purpurata x Lælia Flava

Lot
228 Strong healthy plant, 5 bulbs, 1 is a lead

Cattleya Leopoldi x Cattleya Gigas Sanderiana

Lot
229 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Velutina x Cattleya Hardyana

Lot
230 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Purpurata x Cattleya Labiata

Lot
231 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Trianæ x Cattleya Amethystoglossa

Lot
232 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Schilleriana x Lælia Purpurata

Lot
233 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Tenebrosa x Lælia Digbyana

Lot
234 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Tenebrosa x Cattleya Mossiæ

Lot
235 Strong healthy plant, 3 bulbs, 1 is a lead

Lælio-Cattleya Martinetti x Lælia Digbyana

Lot
236 Strong healthy plant, 4 bulbs, 1 is a lead

Lælia Jongheana x Lælia Flava

Lot
237 Strong healthy plant, 5 bulbs, 1 is a lead

Lælia Flava x Lælia Elegans

Lot
238 Strong healthy plant, 5 bulbs, 1 is a lead

Lælio-Cattleya Calistoglossa x Lælia Crispa

Lot
239 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Bicolor x Cattleya Aurea

Lot

240 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Aurea x Cattleya Gigas

Lot

241 Strong healthy plant, 4 bulbs, 1 is a lead

THE CELESTIAL VANDA

(Vanda Cœrulea)

The finest blue-flowered Orchid in cultivation; spikes many-flowered, each bloom measuring 4 inches across, of a clear sky blue, with darker neuration. This is the finest type, with large flat blossoms.

Lot		
242	Strong	selected plant
243	do	do
244	do	do
245	do	do
246	do	do
247	do	do
248	do	do
249	do	do
250	do	do
251	do	do

CYMBIDIUM SANDERAE

Magnificent New Species

This new Cymbidium has sepals and petals of ivory whiteness, the front lobe of the lip being heavily blotched with crimson purple. It was unanimously awarded a First-Class Certificate by the Orchid Committee of the Royal Horticultural Society of England on the 17th of May, 1904. As many as seven of its

large blossoms are produced on a spike, and oftentimes a bulb produces two or more spikes.

Lot

252 Strong healthy semi-established plant, 2 old bulbs, 1 strong growth

CATTLEYA LABIATA

The true old autumn-flowering Cattleya. It is the easiest Cattleya to grow; one of the finest for cutting; five and six large blossoms on a spike; long lasting and very useful.

Lot

253 One selected plant
254 do do
255 do do
256 do do
257 do do
258 do do
259 do do
260 do do
261 do do
262 do do
263 do do
264 do do
265 do do
266 do do
267 do do
268 do do
269 do do
270 do do
271 do do
272 do do

ODONTOGLOSSUM CRISPUM

The True "Pacho" Variety

The large round-flowered type. It is most grand for cutting and all floral purposes, of easy culture and never fails to be admired. As a lasting white-flowered Orchid it is without a rival.

Lot

273 One selected plant
274 do do
275 do do
276 do do
277 do do
278 do do
279 do do
280 do do
281 do do
282 do do

LAELIO-CATTLEYA ACIS

(L. Tenebrosa x C. Mendelii)

A very pretty hybrid, the sepals and petals of which are cream white beautifully marked with rose on the outer halves. The lip is cream white with handsome ruby-purple front.

Lot

283 Strong healthy plant, 6 bulbs

DENDROBIUM DEVONIANUM

Since first discovered this splendid species has held its own as one of the most delicately lovely, exquisitely-colored species in the genus. The flowers are borne in twos and threes for three parts of the length (often four feet) of the slender pendulous stems. The individual flowers are large, having cream-colored rose-flushed sepals, yellowish magenta-tipped, ciliated petals, and a broad cucullate lip, white, with two large orange blotches, a deep blotch of purple on the tip, the whole margin enriched with a dainty feather-like fimbriation.

Lot

284 One bundle of imported plants
285 do do
286 do do
287 do do
288 do do

Lot

289 One bundle of imported plants
290 do do
291 do do
292 do do
293 do do

PHAIUS HYBRIDS

Raised from the finest specimens of the parent plants.

Phaius Cooksoniæ (P. grandifolius x P. Humblotii)

Lot

294 Strong healthy plant, 6 bulbs, 2 leads

Phaius Phœbe (P. Blumei var. Sanderianus x P. Humblotii)

Lot

295 Strong healthy plant, 4 bulbs, 2 leads

Phaius Norman (P. Blumei var. Sanderianus x P. tuberculosus)

Lot

296 Strong healthy plant, 3 bulbs, 2 leads

COELOGYNE PANDURATA

Probably the most remarkable and interesting of all Cœlogynes. Flowers very handsome, large, borne on long arching spikes. Green and black, a combination of color most rare among Orchids; lip shaped like an F violin, handsomely blotched, warted and veined with black on a green ground.

Lot

297 and 298 One imported plant, just as received, on native sticks

Cypripedium Gratrixianum

This new species has large yellow and white flowers, which are spotted with dark chocolate, the pouch being of a yellow-brownish hue, very glossy. It is a very distinct handsome-

growing plant, with medium-sized glossy green leaves with reddish brown tessellations at the base. The flowers are borne on fine stout flower stems, and have a very handsome character and appearance. This is altogether a distinguished and beautiful new species.

Lot
299 to 302 One strong healthy well-established plant

CYMBIDIUM SANDERI

A Splendid New Species

This wonderful new species, with its 2 to 3 feet long flower scape, bearing several handsome large-sized flowers, was awarded a First-Class Certificate by the Orchid Committee of the Royal Horticultural Society of England on the 14th of February, 1905. The sepals and petals are white, slightly tinged with pink, and with small purple spots at the base. The lip, which is the beautiful feature of the flower, is large, the side lobes curved to the column, the front lobe expanded; white, with a most beautiful tracery of rose-purple dotted lines on both sides and front lobes.

Lot
303 Strong semi-established plant, 3 bulbs, 2 strong growths

ANTHURIUM SEEDLINGS

Flowers very showy, long-lasting and most useful for cutting.

Lot
304 to 312 One strong healthy plant

LAELIA AUTUMNALIS ATRORUBENS

The finest variety of this handsome Orchid. We have flowered some magnificent forms, and similar ones may be expected among these plants.

Lot

313 One selected many-bulbed imported plant
314 do do do
315 do do do
316 do do do
317 do do do
318 do do do
319 do do do
320 do do do
321 do do do
322 do do do
323 do do do
324 do do do
325 do do do
326 do do do
327 do do do
328 do do do
329 do do do
330 do do do
331 do do do
332 do do do
333 Four fine imported plants
334 do do
335 do do
336 do do
337 do do
338 do do
339 do do
340 do do
341 do do
342 do do

CATTLEYA, LAELIA AND LAELIO CATTLEYA

HYBRIDS UNFLOWERED

Same as lots 222 to 241.

Selected from the best varieties of the parent plants, with from 3 to 5 bulbs each.

Lælio-Cattleya Bletchleyensis x Lælia Digbyana

Lot
343 Strong healthy plant

Lælia Purpurata x Lælio-Cattleya Gottoiana

Lot
344 Strong healthy plant

Lælia Tenebrosa x Cattleya Mendelii

Lot
345 Strong healthy plant

Cattleya Granulosa x Cattleya Gigas

Lot
346 Strong healthy plant

Cattleya Granulosa x Lælia Tenebrosa

Lot
347 Strong healthy plant

Cattleya Aurea x Cattleya Hardyana

Lot
348 Strong healthy plant

Cattleya Mendelii x Cattleya Acklandiæ

Lot
349 Strong healthy plant

Cattleya Loddigesi x Lælia Tenebrosa

Lot
350 Strong healthy plant

Lælio-Cattleya Bella x Cattleya Warneri

Lot
351 Strong healthy plant

Cattleya Warneri x Lælia Purpurata

352 Strong healthy plant

CATTLEYA SCHRODERAE

One of the most chaste and beautiful of all Cattleyas. Its blossoms are of great size, perfect in shape, and of lasting substance, very fragrant and freely produced.

There is no Cattleya that can surpass this for elegance and beauty of form.

Lot	
353 to 357	One selected plant

CATTLEYA TRIANAE

A grand winter-flowering species and the most popular variety for cutting.

Lot		
358	One selected	plant
359	do	do
360	do	do
361	do	do
362	do	do
363	do	do
364	do	do
365	do	do
366	do	do
367	do	do
368	do	do
369	do	do
370	do	do
371	do	do
372	do	do
373	do	do
374	do	do
375	do	do
376	do	do
377	do	do

LAELIA ORACLE

(L. Pumila x L. Elegans Schilleriana)

Lot	
378	One strong healthy plant, 6 bulbs

CYPRIPEDIUM SEEDLINGS

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, as the records of their parentages have been lost.

Lot

379 One strong healthy plant
380 do do
381 do do
382 do do
383 do do
384 do do
385 do do
386 do do
387 do do
388 do do

DENDROBIUM THYRSIFLORUM

Bears great pendent bunches of splendid white and golden yellow blossoms, often over 100 in a single raceme. A grand exhibition Dendrobe and always creating much admiration when in bloom.

Lot

389 One selected many-bulbed plant
390 do do
391 do do
392 do do
393 do do
394 do do
395 do do
396 do do
397 do do
398 do do

Lot

399 to 403 Two very fine plants

LAELIA ANCEPS ALBA

The blossoms of this rare Lælia appear in mid-winter. The extraordinary texture of its flowers and their snowy whiteness make them useful decorative Orchids, remaining much longer in a fresh state than the typical red L. anceps.

Lot

404 to 406 One selected plant

CATTLEYA LAELIA AND LAELIO CATTLEYA

HYBRIDS UNFLOWERED

Same as lots 222 to 241.

Selected from the best varieties of the parent plants; 3, 4 and 5 bulbs each.

Cattleya Amethystoglossa x Cattleya Gigas Sanderiana

Lot

407 Strong healthy plant

Cattleya Hardyana x Cattleya Velutina

Lot

408 Strong healthy plant

Lælio-Cattleya Canhamiana x Lælia Crispa

Lot

409 Strong healthy plant

Lælia Grandis x Lælia Tenebrosa

Lot

410 Strong healthy plant

Lælia Tenebrosa x Cattleya Gaskelliana

Lot
411 Strong healthy plant

Lælio-Cattleya Acis x Lælia Flava

Lot
412 Strong healthy plant

Cattleya Warneri x Lælio-Cattleya Aphrodite

Lot
413 Strong healthy plant

Lælio-Cattleya Gottoiana x Lælia Digbyana

Lot
414 Strong healthy plant

Lælia Flava x Lælia Purpurata

Lot
415 Strong healthy plant

Lælia Flava x Lælia Jongheana

Lot
416 Strong healthy plant

Laelio-Cattleya Seedlings

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, the record of their parentage having been lost.

Lot
417 One strong healthy plant
418 do do
419 do do

Lot

420 One strong, healthy plant
421 do do
422 do do
423 do do
424 do do
425 do do
426 do do

DENDROBIUM NOBILE

Our Celebrated Lang Tang Mountain Strain

Unequaled for profusion of distinct and valuable varieties from it. This splendid strain of nobiles is now well known. We are constantly receiving communications praising the varieties obtained from it. It is a fine Orchid, easily grown and free-flowering. The flowers are brilliantly colored, useful for cutting.

Imported Plants

Lot

427 One selected many-bulbed plant
428 do do
429 do do
430 do do
431 do do
432 do do
433 do do
434 do do
435 do do
436 do do
437 Four fine plants
438 do
439 do
440 do
441 do
442 do
443 do
444 do
445 do

Lot	
446	Four fine plants
447	do
448	do
449	do
450	do
451	do
452	do
453	do
454	do
455	do
456	do

CYPRIPEDIUM BELLATULUM

HYBRIDS UNFLOWERED

The illustration given shows one of our bellatulum crosses, and it is with every confidence that we can recommend these now offered as being sure to result in some very fine products.

Bellatulum x Curtisii

Lot	
457	Fine healthy plant, 1 strong growth, 5 leaves

Bellatulum x Mastersianum

Lot	
458	Fine healthy plant, 1 strong growth, 6 leaves

Bellatulum x Dayanum

Lot	
459	Fine healthy plant, 1 strong growth, 5 leaves

Bellatullum x Wm. Matthews

Lot	
460	Fine healthy plant, 1 strong growth, 5 leaves

Lawrenceanum x Bellatulum

Lot

461 Fine healthy plant, 1 strong growth, 5 leaves

Cypripedium Mastersianum x Cypripedium Niveum

Lot

462 Fine healthy plant, 1 strong growth, 4 leaves

LAELIO-CATTLEYA HETTIE

(L. Tenebrosa x C. Gigas)

One of the most handsome and useful varieties of Lælio-Cattleya ever raised. The flowers are large, of varying shades of rosy purple, crimson and maroon. The large lip, both inside and out, is usually a rich crimson, tinged with purple.

Lot

463 One strong healthy plant, 6 bulbs, 1 is a lead

CATTLEYA PORTIA

(C. Bowringiana x C. Labiata)

This is one of the most beautiful of the C. Bowringiana crosses, and the whole of this set of hybrids improves as the plants get stronger. The sepals and petals are deep rose, of fine shape and substance, the lip rich crimson-purple, side lobes purple, shading to yellow, suffused with brown at the base.

Lot

464 Fine healthy well-rooted plant, 6 bulbs, 1 is a lead

A DENDROBIUM FOR FLORISTS

Flowers Snow-White, 4 to 5 Inches Across, Carried in Clusters

DENDROBIUM FORMOSUM GIGANTEUM

Easy to Grow. Free to Flower. Useful to Cut.

Every florist should have a stock of this grand and most useful Orchid. It is truly a florist's Orchid, one of the best for cutting; great clusters of snow-white blooms appear at the apex of the bulbs and are larger than any known Dendrobe. Utilized with great effect both by the florist and decorator.

Lot			
465	One strong selected imported plant		
466	do	do	do
467	do	do	do
468	do	do	do
469	do	do	do
470	do	do	do
471	do	do	do
472	do	do	do
473	do	do	do
474	do	do	do
475	do	do	do
476	do	do	do
477	do	do	do
478	do	do	do
479	do	do	do
480	do	do	do
481	do	do	do
482	do	do	do
483	do	do	do
484	do	do	do
485	Six fine imported plants		
486	do	do	
487	do	do	
488	do	do	
489	do	do	
490	do	do	

Lot

491 Six fine imported plants
492 do do
493 do do
494 do do

LYCASTE SKINNERI

A splendid winter-flowering, cool-house Orchid. Of the greatest possible use to the florist. The large fleshy, long-lasting flowers vary in color from pure white to deep crimson and light rose. Fine for cutting.

Lot

495 to 500 One selected plant

WATSONIA ARDERNEI

Well Ripened Bulbs in Splendid Order

This magnificent white-flowered Gladiolus-like plant is the finest of all white Watsonias.

For the cool greenhouse, conservatory, for the warm south border in the open air, for wreaths, bouquets and for all floral decoration, it is unrivaled and unapproachable. Very floriferous; of easy culture.

Lot

501 to 505 Two selected bulbs

ONCIDIUMS IN VARIETY

Among these will be found one Crispum Prætextum, and others.

Lot

506 Four established plants
507 do do
508 do do
509 do do
510 do do
511 do do
512 do do
513 do do
514 do do

Lot

515 Four established plants

516 do do

517 do do

Lot

518 One case of mixed Orchids in variety

LYCASTE SKINNERI ALBA

Blossoms pure snow white.

Lot

519 Strong healthy plant of this very rare species

Another Property.

DENDROBIUM CHRYSOTOXUM

Blossoms produced in dense clusters in profusion from the apex of the bulbs.

Lot

520 Two well-established plants

521 do do

522 do do

523 do do

524 do do

525 do do

526 do do

527 do do

528 do do

529 do do

530 do do

531 do do

CATTLEYA INTERMEDIA

Several large flowers produced on a strong, erect stem.

Lot

532 to 539 Strong established plant

LAELIA PERRINI

Lot
540 to 543. One fine established plant

LAELIA ANCEPS

A free-flowering winter-blooming Orchid.

Lot
544 Two strong plants

ONCIDIUM SPHACELATUM

Lot
545 to 548 Strong plant in spike

ODONTOGLOSSUM CITROSMUM

Lot
549 to 552 One established plant

DENDROBIUM WARDIANUM

Lot
553 to 558 Two established plants

CATTLEYA TRIANAE

The most popular of all winter-flowering Cattleyas.

Lot
559 to 564 One established plant

CYPRIPEDIUM LAWRENCEANUM

Very useful, large, free-flowering variety for cutting.

Lot
565 to 570 Strong plant, several healthy growths, some showing spikes

CATTLEYA HARRISONIAE

A beautiful pink flowering Cattleya, several produced on a stem.

Lot
571 to 575 One established plant

LAELIA ELEGANS

Very rare in its native country.

Lot
576 to 578 One strong plant

VANDA KIMBALLIANA

A very showy winter-flowering variety.

Lot
579 to 585 Strong healthy plant, several growths

SOBRALIA MACRANTHA

Lot
586 Strong established plant, several stems

A. T. DE LA MARE PTG. AND PUB. CO. LTD.--2-8 DUANE ST., NEW YORK

SPECIAL OFFER.

F. SANDER & CO.,

ST. ALBANS (England); **& BRUGES** (Belgium.)

ORCHIDS.

THE following list comprises those Orchids which, from our experience, we can thoroughly recommend as being of easy culture, and producing showy, serviceable flowers.

The prices in every case apply to thoroughly sound, established plants, clean, healthy, and well grown, true to name, with all their native vigour intact—strong enough to flower in their respective seasons. Where two or more prices are given, the lowest price applies to flowering, sized plants, and the higher prices represent increased size. Various sized plants can be obtained at intermediate prices. *Being very large importers, we are enabled to keep our immense and varied stock always at par, and purchasers may fully rely on securing the best possible value.*

We shall have great pleasure in making quotations for any plants not mentioned in this list, for specimens, for special varieties, or in advising intending purchasers on the kinds most suited to their houses and requirements.

The letters *S* (stove), *I* (intermediate), and *C* (cool), opposite each plant, refer to the respective houses most suitable to the plants. The temperatures for which are as follows :—

Stove.—	winter, minimum	60 deg.,	maximum	70 deg.	Fah.
	summer	„	65 deg.,	„	80 deg.	„
Intermediate.—	winter	„	55 deg.,	„	65 deg.	„
	summer	„	60 deg.,	„	70 deg.	„
Cool.—	winter	„	45 deg.,	„	57 deg.	„
	summer as near 60 deg. as possible.					

For full particulars, cultural notes, watering, potting, shading, ventilation ; also descriptions of the plants, dimensions, colour of flowers, their countries, seasons of flowering, list of hybrids, &c., see "Sander's Orchid Guide," now ready, price 3.00 ; interleaved, 5.00 each.

Our Nurseries are always open to inspection, and are within easy reach of the Midland, London and North Western, and

Great Northern Railways. By the latter line, passengers from London who wish to visit our Nurseries, may alight in our glass houses on advising the platform inspector and guard at Hatfield Station. Frequent trains can be obtained from St, Pancras, King's Cross, and Euston. We have the largest, finest, and healthiest collection of Orchids in the world, and your visit would be much appreciated.

C	**Ada** aurantiaca	-	1.00 to 2.50
S	**Ærides** affine	-	2.00 to 3.50
S	,, Houlettianum	-	5.00 to 10.00
S	,, Lawrenciæ	-	10.00 to 25.00
S	,, odoratum	-	1.50 to 3.50
S	,, Sanderianum	-	10.00 to 25.00
S	,, Savageanum	-	5.00 to 15.00
S	**Angræcum** articulatum	-	2.00 to 5.00
S	,, Humblotii	-	2.50 to 5.00
S	,, Sanderianum	-	2.50 to 5.00
S	,, sesquipedale	-	5.00 to 25.00
C	**Anguloa** Clowesii	-	2.50 to 3.50
I	,, Ruckeri	-	3.50 to 5.00
C	,, uniflora	-	3.50 to 5.00
S	**Ansellia** africana	-	2.00 to 3.50
S	**Bifrenaria** aurantiaca	-	2.00 to 3.50
I	,, Harrisoniæ	-	1.50 to 2.50
I	,, tyrianthina	-	2.00 to 5.00
I	**Brassia** caudata	-	2.00 to 3.50
I	,, maculata	-	2.00 to 3.50
I	,, verrucosa	-	1.25 to 2.50
S	**Broughtonia** sanguinea	-	2.50 to 5.00
S	**Burlingtonia** candida	-	1.25 to 2.50
S	,, fragrans	-	2.00 to 3.50
S	,, pubescens	-	2.00 to 3.50
S	**Calanthe** Regnieri	-	1.00 to 2.00
S	,, rosea	-	1.00 to 2.00
S	,, Veitchii	-	1.00 to 2.00
S	,, vestita	-	1.00 to 2.00
S	,, William Murray	-	2.00 to 2.50
S	**Cattleya** Aclandiæ	-	1.50 to 2.50
I	,, amethystoglossa	-	2.00 to 3.50
S	,, aurea	-	5.00 to 10.00
I	,, bicolor	-	2.00 to 2.50
I	,, Bowringiana	-	2.50 to 10.00
I	,, Choccensis	-	2.00 to 5.00
C	,, citrina	-	1.00 to 2.00
S	,, Dowiana	-	3.50 to 10.00
I	,, Eldorado	-	2.50 to 5.00
I	,, Forbesii	-	1.25 to 2.50
I	,, Gaskelliana	-	1.25 to 5.00
I	,, gigas	-	2.50 to 10.00
I	,, guttata	-	2.00 to 5.00
I	,, Harrisoniæ	-	1.25 to 2.50
I	,, Holfordii	-	1.25 to 2.50
I	,, intermedia	-	1.25 to 2.50
I	,, labiata	-	1.25 to 2.50
S	,, Lawrenceana	-	5.00 to 25.00
I	,, Loddigesii	-	1.25 to 3.50
I	,, Lueddemaniana	-	1.25 to 3.50
I	,, luteola	-	1.25 to 2.50

I	**Cattleya** maxima	-	3.50 to 5.00
I	,, Mendelii	-	2.50 to 5.00
I	,, Mossiæ	-	1.25 to 10.00
I	,, nobilior	-	5.00 to 10.00
I	,, Percivaliana	-	2.00 to 5.00
I	,, Rex	-	15.00 to 25.00
S	,, Schilleriana	-	3.50 to 10.00
I	,, Schofieldiana	-	2.50 to 5.00
I	,, Schroderæ	-	2.00 to 5.00
I	,, Skinneri	-	2.00 to 5.00
I	,, Trianæ	-	1.25 to 10.00
I	,, velutina	-	2.50 to 10.00
I	,, Walkeriana	-	2.00 to 5.00
I	,, Warneri	-	2.50 to 3.50
I	**Chysis** aurea	-	1.25 to 2.50
I	,, bractescens	-	1.25 to 2.50
C	**Cochlioda** Noetzliana	-	2.00 to 5.00
C	,, rosea	-	2.50 to 5.00
C	,, sanguinea	-	2.00 to 5.00
C	,, vulcanica	-	2.50 to 5.00
C	**Cœlogyne** barbata	-	2.00 to 5.00
C	,, cristata	-	1.00 to 2.00
C	,, ,, alba	-	2.50 to 5.00
S	,, Dayana	-	2.50 to 5.00
C	,, lentiginosa	-	1.00 to 2.00
S	,, Massangeana	-	1.25 to 2.50
C	,, ocellata	-	1.25 to 2.00
C	,, ochracea	-	1.25 to 2.00
S	**Comparettia** macroplectron	-	2.50 to 3.50
I	**Cycnoches** chlorochilon	-	2.50 to 5.00
C	**Cymbidium** eburneum	-	1.25 to 2.50
C	,, giganteum	-	2.50 to 10.00
C	,, Hookerianum	-	10.00 to 25.00
C	,, Lowianum	-	1.50 to 3.50
C	,, Tracyanum	-	15.00 to 25.00
I	**Cypripedium** Ainsworthii	-	2.00 to 5.00
I	,, Arthurianum	-	2.50 to 5.00
I	,, Ashburtoniæ	-	1.25 to 2.50
I	,, barbatum	-	1.00 to 2.50
I	,, Bartetii	-	2.50 to 5.00
S	,, bellatulum	-	1.50 to 2.50
C	,, Boxallii	-	1.25 to 2.50
S	,, callosum	-	1.25 to 2.00
I	,, calophyllum	-	1.25 to 2.50
S	,, calurum	-	1.25 to 2.50
I	,, Calypso	-	3.50 to 7.50
I	,, caudatum	-	2.50 to 7.50
I	,, chloroneurum	-	1.25 to 2.50
I	,, Charlesworthi	-	1.00 to 2.00
S	,, ciliolare	-	1.25 to 2.50
I	,, conchiferum	-	1.25 to 5.00
I	,, Crossianum	-	1.25 to 5.00
S	,, Curtisii	-	2.50 to 5.00
I	,, Dauthierii	-	1.25 to 2.50
S	,, Dayanum	-	2.00 to 3.00
I	,, exul	-	1.25 to 3.50
I	,, Harrisianum	-	1.25 to 5.00
I	,, Haynaldianum	-	2.50 to 5.00
I	,, hirsutissimum	-	2.00 to 3.50
S	,, Hookeræ	-	1.25 to 2.50
C	,, insigne	-	1.00 to 10.00

C	**Cypripedium**	insigne Chantinii	-	1.50 to 3.50
I	,,	Io grande	-	10.00 to 15.00
S	,,	Javanicum	-	1.25 to 2.50
S	,,	Lathamianum	-	2.00 to 3.50
S	,,	Lawrenceanum	-	1.00 to 2.00
S	,,	Leeanum	-	1.50 to 10.00
S	,,	,, superbum	-	1.00 to 15.00
I	,,	longifolium	-	2.00 to 5.00
S	,,	Lowii	-	2.50 to 10.00
S	,,	marmorophyllum	-	3.50 to 10.00
S	,,	Mastersianum	-	2.50 to 5.00
I	,,	melanopthalmum	-	2.50 to 5.00
S	,,	Morganiæ	-	7.50 to 25.00
C	,,	nitens	-	2.00 to 10.00
I	,,	nitidissimum	-	5.00 to 15.00
I	,,	niveum	-	1.25 to 3.50
I	,,	œnanthum	-	1.25 to 2.50
I	,,	,, superbum	-	5.00 to 10.00
S	,,	Parishii	-	1.25 to 2.00
I	,,	politum	-	2.50 to 5.00
I	,,	purpuratum	-	2.50 to 5.00
S	,,	Rothschildianum	-	3.50 to 15.00
I	,,	Sallierii	-	3.50 to 15.00
S	,,	Sanderianum	-	5.00 to 15.00
C	,,	Schlimii	-	2.00 to 5.00
C	,,	Sedeni	-	1.25 to 2.50
I	,,	selligerum	-	2.00 to 10.00
I	,,	Spicerianum	-	1.50 to 3.50
S	,,	Stonei	-	5.00 to 10.00
S	,,	superbiens	-	2.50 to 5.00
I	,,	Swanianum	-	2.50 to 5.00
S	,,	sub-læve	-	1.25 to 2.50
S	,,	tonsum	-	2.00 to 5.00
C	,,	venustum	-	1.00 to 2.00
C	,,	villosum	-	1.25 to 2.50
S	**Dendrobium**	aggregatum majus	-	1.25 to 2.50
S	,,	Ainsworthii	-	2.00 to 3.50
S	,,	albo-sanguineum	-	1.25 to 2.50
S	,,	atro-violaceum	-	1.25 to 5.00
S	,,	aureum	-	2.00 to 3.50
S	,,	Bensoniæ	-	2.00 to 3.50
S	,,	bigibbum	-	2.00 to 3.50
S	,,	Brymerianum	-	2.50 to 5.00
S	,,	Cambridgeanum	-	1.25 to 2.50
S	,,	cariniferum	-	1.25 to 5.00
I	,,	chrysanthum	-	1.25 to 2.50
I	,,	chrysotoxum	-	1.25 to 5.00
I	,,	clavatum	-	2.50 to 5.00
S	,,	crassinode	-	1.25 to 2.00
S	,,	crepidatum	-	1.25 to 2.00
S	,,	cretaceum	-	1.25 to 2.00
S	,,	crystallinum	-	1.25 to 2.00
S	,,	cupreum	-	2.50 to 10.00
S	,,	Dalhousieanum	-	2.50 to 10.00
S	,,	Dearei	-	2.50 to 5.00
I	,,	densiflorum	-	1.25 to 3.50
S	,,	Devonianum	-	1.25 to 2.50
S	,,	Draconis	-	2.50 to 5.00
I	,,	Falconeri	-	2.50 to 5.00
S	,,	Farmeri	-	2.50 to 5.00
I	,,	fimbriatum	-	1.25 to 2.50

I	**Dendrobium** fimbriatum oculatum	2.00 to	5.00
S	,, Findlayanum	1.25 to	2.50
S	,, formosum giganteum	1.25 to	2.50
C	,, infundibulum	1.00 to	2.50
C	,, Jamesianum	1.00 to	2.50
S	,, Leechianum	2.00 to	5.00
I	,, lituiflorum	2.00 to	5.00
S	,, luteolum	2.00 to	3.50
I	,, marmoratum	1.25 to	2.00
I	,, moschatum	2.50 to	10.00
S	,, nobile	1.00 to	10.00
S	,, ,, Cooksonii	2.00 to	5.00
S	,, Parishii	1.25 to	2.50
S	,, phalænopsis Schroderianum	1.25 to	5.00
S	,, Pierardii	1.25 to	2.50
S	,, primulinum	1.00 to	2.00
S	,, ,, giganteum	2.00 to	3.50
I	,, speciosum	1.25 to	3.50
S	,, splendidissimum	2.50 to	10.00
S	,, suavissimum	1.25 to	2.00
S	,, superbiens	10.00 to	25.00
S	,, superbum	5.00 to	10.00
S	,, ,, anosmum	5.00 to	10.00
S	,, ,, giganteum	3.50 to	5.00
S	,, thyrsiflorum	1.50 to	2.50
S	,, tortile	2.00 to	3.50
S	,, Wardianum	1.25 to	5.00
C	**Disa** grandiflora	2.50 to	3.50
C	,, racemosa	2.00 to	2.50
I	**Epidendrum** atro-purpureum	2.50 to	5.00
I	,, ciliare	1.00 to	2.00
C	,, cochleatum	1.25 to	2.50
I	,, Cooperianum	2.50 to	5.00
I	,, dichromum	2.00 to	5.00
I	,, fragrans	1.25 to	2.00
C	,, nemorale	2.50 to	5.00
S	,, O'Brienianum	2.50 to	5.00
I	,, osmanthum	1.25 to	5.00
I	,, prismatocarpum	2.50 to	10.00
S	,, radicans	2.00 to	5.00
I	,, Stamfordianum	2.50 to	5.00
C	,, vitellinum autumnalis	1.25 to	3.50
C	,, ,, majus	1.25 to	3.50
I	**Ipsea** speciosa	1.25 to	2.50
C	**Lælia** acuminata	2.00 to	3.50
C	,, albida	1.00 to	2.00
C	,, anceps	1.25 to	5.00
C	,, autumnalis	1.25 to	2.50
C	,, ,, atro-rubens	2.50 to	5.00
I	,, cinnabarina	1.25 to	2.50
I	,, crispa	1.25 to	10.00
C	,, Dayana	1.00 to	2.50
I	,, Digbyana	2.50 to	5.00
I	,, Dormaniana	1.25 to	3.50
C	,, flava	2.00 to	5.00
I	,, glauca	1.25 to	2.50
I	,, harpophylla	2.00 to	3.50
C	,, Jongheana	1.25 to	5.00
C	,, majalis	1.25 to	2.50
I	,, Perrinii	1.25 to	5.00
C	,, præstans	2.00 to	3.50

C	**Lælia** pumila	1.00 to 2.50
I	,, purpurata	2.00 to 10.00
I	**Leptotes** bicolor	1.25 to 2.50
C	**Lycaste** aromatica	1.25 to 2.50
I	,, Barringtoniæ	2.00 to 3.50
C	,, cruenta	1.25 to 2.50
C	,, Deppei	1.25 to 2.50
C	,, lanipes	2.50 to 5.00
C	,, plana	2.00 to 3.50
C	,, Skinneri	1.00 to 1.50
C	,, ,, alba	15.00 to 25.00
C	**Masdevallia** amabilis	1.25 to 3.50
C	,, Backhouseana	2.50 to 5.00
C	,, bella	1.25 to 2.50
C	,, Benedictii	1.25 to 2.50
C	,, chimæra	2.00 to 3.50
C	,, coccinea	2.00 to 3.50
C	,, Harryana	1.00 to 5.00
C	,, ignea	1.25 to 3.50
C	,, infracta	2.00 to 3.50
C	,, leontoglossa	5.00 to 10.00
C	,, Lindenii	1.00 to 2.50
C	,, macrura	2.50 to 5.00
C	,, maculata	1.00 to 2.50
C	,, melanopus	1.25 to 3.50
C	,, Peristeria	2.50 to 5.00
C	,, polysticta	1.25 to 2.00
C	,, racemosa	2.50 to 10.00
C	,, Reichenbachiana	2.50 to 3.50
C	,, Shuttleworthii	2.50 to 5.00
C	,, Tovarensis	1.00 to 2.50
C	,, triangularis	1.25 to 2.50
C	,, Veitchiana	1.25 to 2.50
C	,, ,, grandiflora	10.00 to 15.00
C	**Maxillaria** grandiflora	2.00 to 5.00
C	,, luteo-alba	2.00 to 2.50
C	,, picta	1.00 to 2.50
C	,, Sanderiana	2.50 to 10.00
C	,, tenuifolia	1.00 to 5.00
C	,, venusta	1.25 to 5.00
I	**Miltonia** candida	2.50 to 5.00
I	,, Clowesii	1.25 to 5.00
I	,, cuneata	2.00 to 5.00
I	,, flavescens	2.00 to 5.00
I	,, Moreliana	2.50 to 10.00
I	,, phalænopsis	2.00 to 5.00
I	,, Regnellii	5.50 to 10.00
I	,, Roezlii	2.00 to 5.00
I	,, spectabilis	2.00 to 5.00
I	,, vexillaria	2.00 to 5.00
C	**Odontoglossum** Alexandræ	1.25 to 3.50
C	,, ,, Andersonianum	1.25 to 5.00
C	,, ,, baphicanthum	1.25 to 5.00
C	,, ,, Bictoniense	1.25 to 2.50
C	,, ,, blandum	2.50 to 10.00
C	,, ,, Cervantesii	1.00 to 2.50
C	,, ,, cirrhosum	1.25 to 5.00
C	,, ,, citrosmum	1.00 to 2.50
C	,, ,, constrictum	1.25 to 2.50
C	,, ,, Coradinei	2.50 to 10.00
C	,, ,, cordatum	1.00 to 2.50

C	**Odontoglossum** crispum, *see* Alexandræ.		
C	,, Edwardii		2.50 to 25.00
C	,, facetum		3.50 to 10.00
C	,, gloriosum		1.00 to 2.50
C	,, grande		1.25 to 2.50
C	,, Hallii		2.00 to 5.00
C	,, Harryanum		2.50 to 5.00
C	,, hastilabium		2.00 to 5.00
C	,, hebraicum		5.00 to 15.00
C	,, Hunnewellianum		3.50 to 15.00
C	,, Insleayi		1.25 to 5.00
C	,, Lindleyanum		1.00 to 2.50
C	,, luteo-purpureum		2.00 to 5.00
C	,, maculatum		1.00 to 2.50
C	,, madrense		2.50 to 5.00
C	,, mirandum		2.00 to 3.50
C	,, nebulosum		1.25 to 2.50
C	,, odoratum		1.00 to 2.00
C	,, Pescatorei		1.25 to 5.00
C	,, pulchellum majus		1.25 to 3.50
C	,, ramosissimum		3.50 to 10.00
C	,, Rossii majus		1.00 to 2.00
C	,, Sanderianum		1.25 to 2.50
C	,, sceptrum		2.50 to 10.00
C	,, tripudians		2.00 to 5.00
C	,, triumphans		2.00 to 3.50
I	**Oncidium** altissimum		1.25 to 2.50
S	,, ampliatum majus		2.50 to 10.00
I	,, barbatum		1.25 to 2.00
C	,, candidum		1.25 to 2.00
I	,, Cavendishianum		1.25 to 2.50
C	,, concolor		2.00 to 10.00
C	,, crispum		1.25 to 3.50
C	,, dasytyle		1.00 to 2.00
C	,, excavatum		1.25 to 5.00
I	,, flexuosum		1.00 to 5.00
C	,, Forbesii		2.00 to 3.50
C	,, incurvum		1.25 to 3.50
S	,, Kramerianum		2.00 to 5.00
C	,, macranthum		2.50 to 25.00
C	,, Marshallianum		2.00 to 10.00
C	,, ornithorynchum		1.00 to 2.50
S	,, Papilio		1.25 to 5.00
C	,, prætextum		1.25 to 3.50
I	,, pubes		1.00 to 2.00
I	,, sarcodes		1.25 to 10.00
I	,, splendidum		3.50 to 10.00
C	,, tigrinum		1.25 to 5.00
C	,, varicosum Rogersii		1.25 to 3.50
I	**Peristeria** elata		2.00 to 5.00
S	**Phaius** Blumei		2.00 to 5.00
S	,, grandifolius		1.25 to 5.00
S	,, maculatus		2.00 to 5.00
S	,, Sanderianus		2.00 to 10.00
S	,, Wallichii		2.00 to 5.00
S	**Phalænopsis** amabilis		2.50 to 10.00
S	,, Esmeralda		2.00 to 3.50
S	,, grandiflora		2.50 to 5.00
S	,, Sanderiana		5.00 to 15.00
S	,, Schilleriana		3.50 to 10.00
S	,, Stuartiana		3.50 to 10.00

C	**Pilumna** fragrans		1.25 to 2.50
C	,, nobilis		2.00 to 5.00
S	**Platyclinis** Cobbiana		2.50 to 5.00
S	,, filiformis		2.00 to 5.00
I	,, glumacea		2.00 to 5.00
S	,, uncata		2.50 to 5.00
C	**Pleione** Hookeriana		1.25 to 2.50
C	,, humilis		1.00 to 1.25
C	,, lagenaria		1.00 to 1.25
I	,, maculata		1.00 to 1.25
C	,, Wallichiana		1.00 to 1.25
I	**Renanthera** Imschootiana		2.50 to 5.00
C	**Restrepia** antennifera		2.00 to 3.50
S	**Saccolabium** Blumei		2.00 to 5.00
S	,, cœlestis		5.00 to 7.50
S	,, curvifolium		1.25 to 5.00
S	,, giganteum		2.00 to 5.00
S	,, guttatum		2.50 to 5.00
I	**Sarcochilus** Hartmanni		1.25 to 2.50
I	**Sobralia** macrantha		1.50 to 5.00
I	,, xantholeuca		15.00 to 25.00
I	**Schomburgkia** crispa		1.25 to 5.00
I	,, tibicinis		3.50 to 10.00
C	**Sophronitis** grandiflora		1.25 to 2.50
I	**Stanhopea** eburnea		3.50 to 7.50
I	,, ecornuta		2.00 to 3.50
I	,, graveolens		1.25 to 3.50
I	,, insignis		2.00 to 5.00
I	,, oculata		1.25 to 5.00
I	,, tigrina		2.50 to 10.00
I	,, Wardii		2.50 to 5.00
C	**Stenoglottis** longifolia		1.25 to 2.50
S	**Thunia** alba		1.00 to 1.50
S	,, Bensoniæ		2.00 to 2.50
S	,, Marshalliana		1.00 to 1.50
S	,, pulchra		1.25 to 2.50
S	,, Veitchiana		2.50 to 3.50
I	**Trichopilia** coccinea		1.25 to 5.00
I	,, crispa		5.00 to 10.00
I	,, suavis		1.25 to 5.00
I	,, tortilis		1.25 to 2.50
C	**Trichosma** suavis		1.00 to 2.50
I	**Vanda** Amesiana		2.00 to 5.00
S	,, Bensoniæ		1.25 to 5.00
S	,, cœrulea		2.50 to 5.00
S	,, cœrulescens		2.00 to 5.00
S	,, Hookeriana		2.50 to 5.00
S	,, insignis		3.50 to 15.00
S	,, Kimballiana		1.25 to 3.50
S	,, Parishii		3.50 to 7.50
S	,, Roxburghii		1.25 to 2.50
S	,, suavis		3.50 to 7.50
S	,, teres		1.25 to 3.50
S	,, tricolor		2.50 to 5.00
I	**Zygopetalum** brachypetalum		1.50 to 3.50
I	,, crinitum		1.50 to 3.50
I	,, Gautierii		3.50 to 7.50
I	,, intermedium		2.50 to 5.00
I	,, Mackayii		1.50 to 5.00